

Ultra-Hard Top P2 Plus®



Store Hazardous Drums Safely Outdoors With Pumps And Funnels In Place!

The Ultra-Hard Top Plus Spill Pallet provides a safe, convenient and effective place to store (1) or (2) 55-gallon drums. The roll-top doors above and swing out doors below provide complete and easy access to the inside spill containment area. Simply place your drums inside of the unit with your drum handling equipment or with our optional ramp. Close the doors and you are done. Your drums are protected from the elements and unauthorized access (the unit can be locked) and your property is protected from spills or leaks.

- Tall 23 3/4" head space easily accommodates rotary drum pumps and large conical funnels.
- Low profile (8 3/4") containment pallet positions drum-top funnels at a safe, convenient level to pour hazardous wastes.
- Meets SPCC, EPA Container Storage Regulation 40 CFR 264.175 and Uniform Fire Code Spill Containment Regulations.
- 100% Polyethylene construction will not rust or corrode.
- "Swing out" lower doors provide full access to drums for loading and unloading - optional ramp features non-slip surface.
- Compact loading ramp stores neatly inside when not in use - even when loaded with two 55-gallon drums.
- Simply lift from waist-level to raise the roll-top cover - no need to bend over and reach near ground level as required by alternative products.
- Ultra-Hard Top P2 Plus Spill Pallet is lockable with a standard padlock, and can be safely lifted by forklift with drums in place.



Ultra-Hard Top P2 Plus®

Ultra-Hard Top P2 Plus	Loading Ramp (Optional)
PSP300-042 Part# 9612: 2-Drum Hard Top Spill Pallet, no drain Part# 9613: 2-Drum Hard Top Spill Pallet, with drain	PSP300-071 Part# 0676
Dimensions: 67¼" x 41¼" x 74" (1708 mm x 1047 mm x 1880 mm)	Dimensions: 55½" x 28½" x 8¾" (1410 mm x 724 mm x 222 mm)
Weight: 260 lbs. (118 kg)	Weight: 43 lbs. (19.5 kg)
Containment Capacity: 66 gallons (250 L)	Surface: Non-slip
Uniformly Distributed Load: 4,500 lbs. (2041 kg)	Weight capacity: 700 lbs. (317.5 kg)
	Construction: Polyethylene